

This Page Is Inserted by IFW Operations  
and is not a part of the Official Record

## **BEST AVAILABLE IMAGES**

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

**IMAGES ARE BEST AVAILABLE COPY.**

**As rescanning documents *will not* correct images,  
please do not report the images to the  
Image Problem Mailbox.**

1 / 39




FIGURE 1

2 / 39




FIGURE 2A

3 / 39




FIGURE 2B

4 / 39

aatatttgcatgtcgctatgtgttctgggaaa  
tcaccataaacgtgaaatgtctttggatttgg  
gaatcttataagttctgtatgagaccacagat  
ccccgcaagctgaccctgaagttcttcaagag  
agaacttcaggggtcagcttgcttttttgg

FIGURE 3

5 / 39




FIGURE 4

6139




FIGURE 4 (CONT'D.)

7 / 39




FIGURE 5



8/39




FIGURE 6

9 / 39

1 2 3 4 5





FIGURE 9

10/39




FIGURE 8A

11 / 39




FIGURE 8 B

12/39




FIGURE 9

13/39




FIGURE 10

14 / 39




FIGURE 11

15 / 39




FIGURE 12A



16/39




FIGURE 12B

17/39




FIGURE 13

18/39




FIGURE 14A

19/39





FIGURE 14B

20/38



TATA Box  
(Approx -5, -25 and/or -40 bp from start of transcription)  
Tst-1 Binding Site Underlined

FIGURE 15A

21/39




FIGURE 15 B

22/39





FIGURE 16

23/39

11

# Human ERE2 U6 87U6 eGFP Linear




11

FIGURE 17



24/39

In the presence of 17beta-estradiol, estrogen receptors bind upstream & block Pol II assembly & transcription



Removal of  
17beta-estradiol

In the absence of estrogen, the receptors dissociate from the promoter, enabling entry of the Pol II apparatus and active transcription




FIGURE 18

25/39

# Based on the human U6 snRNA variant, 87U6




FIGURE 19

26/39




FIGURE 20

27/39





FIGURE 21

# H1-eGFP Synthetic I REPori Micro-Circle

## Synthesis Strategy




29/39



FIGURE 23 A

30/39

# Primary RNA Transcript



ABLE Box forms Loop of Hairpin

N.B.: Presence of hairpin mismatches increases oligo synthesis yields and reduces aberrant cruciform DNA formation during hybridization. Changes made on the sense RNA strand do not adversely affect RNAi. Mismatch changes to the sense strand are underlined.

Also, it has been shown that a 6-base 5' overhang on a silencing RNA hairpin did not block silencing activity (Nature. 2002;418:435). Thus, the primary RNA transcript shown above will likely serve as a substrate for RNase III.

FIGURE 23 B

31/39

Mature transcript following processing by RNase III  
(cleaves dsRNA into fragments with 2-base 3' overhang)

*Sense Strand Beta-Catenin 1*

GCUGUUGUAGAGGCUGGUGGAA

|||?|||||||?|||||||

UUCGAUAACAUCUUCGACCACC


*Antisense Strand Beta-Catenin 1*

FIGURE 23 C






32/39

**Figure 24A**




**Figure 24B**




**Figure 25A****Figure 25B**

34/39  
Figure 26




35/39

**Figure 27**




36/39

Figure 28



37/39

**Figure 29**



**Figure 30**

**A.**

**B.**

**C.**


**D.**

**E.**

**F.**

**G.**

**H.**



39/39

**Figure 31**

